

200000214

THE UNIVERD STANTES OF AMIERIOS

<u> 10 ALL 10 WHOM THESE: PRESENTS SHALL COME:</u>

Rijk Zwaan Zandteelt en Zandhandel B.H.

DECREE, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OF ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC **REPLENISHMENT OF** VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW , THE HT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR KTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE PURPOSE; OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT MITHE PLANT VARIETY PROTECTION ACT. (84 STAT, 1542, AS AMENDED, 7 U.S.C. 2321 ET SEO.)

LETTUCE

'Adal'

In Testimonn Alperent, I have hereunto set my hand and caused the seal of the Hunt Anxiety Protection Office to be affixed at the City of Washington, D.C. this nineteenth day of September, in the year two thousand and five.

Plant Variety Protection Offic Syricultural Marketing Servi

REPRODUCE LOCALLY, Include form number an	nd date on all reproductions	FURINI AF	PROVED - UNID NO. 0001-0000				
	FOF AGRICULTURE	The following statements are made in acco	rdance with the Privacy Act of				
	ARKETING SERVICE	1974 (5 U.S.C. 552a).					
SCIENCE DIVISION - PLANT	VARIETY PROTECTION OFFICE	Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421) Information is held confidential					
APPLICATION FOR PLANT VAR	RIETY PROTECTION CERTICATE	until certificate is issued (7 U.S.C. 2426).					
	ction burden statement on reverse)	2. TEMPORARY DESIGNATION	3. VARIETY NAME				
1. NAME OF APPLICANT(S) (as it is to appear	on the Certificate)	OR EXPERIMENTAL NUMBER					
Rijk Zwaan Zaadteelt en Zaadhandel B.	ADAL						
4. ADDRESS (Street and No., or R.F.D. No., City, S	FOR OFFICIAL USE ONLY						
Burgemeester Crezeelaan 40		+ 31 174 532300	PVPO NUMBER				
2678 KX DE LIER, The Netherlands		2	0 0 0 0 0 2 1 4				
		6. FAX (include area code)	FDATE				
		+ 31 174 513730	A STATE OF S				
			1 May 1, 2000				
			62 NOTE NAME & 22 OFFICE ASSOCIATION				
7. GENUS AND SPECIES NAME	8. FAMILY NAME (Botanical)		F FILING AND E EXAMINATION FEE				
Lactuca sativa L.	Compositae						
			8,24SO=				
9. CROP KIND NAME (Common name)		<u> </u>	H DATE				
			1,2000				
Lettuce	•		"' O '				
10. IF THE APPLICANT NAMED IS NOT A	"PERSON", GIVE FORM OF ORGANIZAT	ION (corporation, partnership, association, et	c. I CERTIFICATION FEE:				
(Common name)	·		i. / 8⊃ ∞				
Rijk Zwaan Zaadteelt en Zaadhandel B.	V. Corporation						
11. IF INCORPORATED, GIVE STATE OF I	NCORPORATION	12. DATE OF INCORPORATION	DATE				
Corporation		The Netherlands 08-18-1953	August 15,200!				
13. NAME AND ADDRESS OF APPLICANT	REPRESENTATIVES IF ANY TO SERVE	IN THIS APPLICATION AND	14. TELEPHONE (include area				
RECEIVE ALL PAPERS	TELLIZORIA TALES, II SALIT, TO SELITE		codej				
			15. FAX (include area code)				
16. CHECK APPROPRIATE BOX FOR EACH		ctions on reverse)	·				
 a. Exhibit A. Origin and Breeding History b. Exhibit B. Statement of Distinctness 	y of the variety						
c. Exhibit C. Objective Description of th			•				
 d. Exhibit D. Additional Description of the Exhibit E. Statement of the Basis of the Exhibit E. Statement of the Exhi							
f. Voucher Sample (2.500 viable untreated see		ssue culture will be deposited and maintained i	n a public repository)				
g. Filing and Examination Fee (\$2,450) made	e payable to the "Treasurer of the United States" (Mail	to PVPO)	OF CERTIFIED SEED (See Seeting				
17. DOES THE APPLICANT SPECIFY THAT 83(a) of the Plant Variety Protection Act)?	I SEED OF THIS VARIETY BE SOLD BY V	ARIETY NAME ONLY, AS A CLASS	OF CENTIFIED SEED (See Section				
☐ YES (If "yes", answer items 18 and 19 below) 18. DOES THE APPLICANT SPECIFY THAT		19. IF "YES" TO ITEM 18, WHIC	CHICLASSES OF PRODUCTION				
TO NUMBER OF GENERATIONS?	I SEED OF THIS VARIETY BE LIMITED AS	BEYOND BREEDER SEED?	CIT CEASSES OF THOSE OFFICE				
☐ YES ☐ NO		□ FOUNDATION □ REGIST					
20. HAS THE VARIETY OR A HYBRID PRO OR OTHER COUNTRIES?	DOUCED FROM THE VARIETY BEEN RELE	ASED, USED, OFFERED FOR SALE,	UN MARKETED IN THE U.S.				
YES (if "yes", give names of countries and da	ites) 🗖 NO						
Adal has been sold for the first time in	n Spain in August 1997. Adal has not ye	been sold in the U.S.A.					
21. The applicant(s) declare that a viable sample of bas	ic seed of the variety will be furnished with application	and will be replenished upon request in accord	ance with such regulations as may be				
• • • • • • • • • • • • • • • • • • • •	e culture will be deposited in a public repository and m		ntinat uniform, and atable as required in				
The undersigned applicant(s) is(are) the owner(s) or Section 41, and is entitled to protection under the	f this sexcually reproduced or tuber propagated plant v provisions of Section 42 of the Plant Variety Protection	ariety, and believe(s) that the variety is new, di n Act.	sunce, unnum, and stable as required in				
	on herein can jeopordize protection and result in penalti	es.					
SIGNATURE OF APPLICANT IOWNER IS	•	SIGNATURE OF APPLICANT (Own	ner(s))				
// thm	•						
NAME (Please print or type)		NAME (Please print or type)					
M. Zwaan		E					
CAPACITY OR TITLE	DATE	CAPACITY OR TITLE	DATE				
Managing Director	18 April 2000	;					
Interreduing Director	TO April 2000	* * * * * * * * * * * * * * * * * * *					

INSTRUCTIONS

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1 Completed application form signed by the owner; (2) completed Exhibits A, B, C, E; (3) at least 2,500 viable untreated seeds, or for tuber reproduced varieties verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in a public repository prior to issuance of a certificate; (4) check drawn on a U.S. bank for \$ 2,450 (\$ 300 filing and \$2,150 examination fee), payable to "Treasurer of the United States" (See Section 97.175 of the Regulations and Rules of Practice.) partial applications will be held in the PVPO for no more than 30 days, then returned to the applicant as unfilled. Mail application and other requirements to Plant Variety Protection Office, AMS, UDA Room 500, NAL Building, 10301 Baltimore Blvd., Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. **DO NOT** use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$300 for issuance of the Certificate.

Plant Variety Protection Office Telephone: (301) 504-5518

ITEM

- 16a. Give: (1) the genealogy, include public and commercial varieties, lines, or clones used, and the breeding method;
 - (2) the details of subsequent stages of selection and multiplication;
 - (3) evidence of uniformity and stability; and
 - (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified.
- 16b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
 - (1) identify these varieties and state all differences objectively;
 - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences;
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 16c. Exhibit C forms are available from the PVPO for most crops; specify crop kind, Fill in Exhibit C (Objective Description of the Variety) form as completely as possible to describe your variety.
- 16d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 16e. Section 52(4) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. The applicant may be the actual breeder, the employee of the breeder, the owner through purchase of inheritance, etc.
- 17. If "yes" is specified (seed of this variety be sold by a variety name only, as a class of certified seed), the applicant may NOT reverse this affirmative decision after the variety has been sold and so labelled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See P.L. 103-349 for additional information.)
- 20. See Sections 41, 42, and 43 of the Act and Section 97.175 of the regulations for eligibility requirements.

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment during the life of the application/certificate. There is no charge for filing a change of address. The fee for filing a change of ownership or assignment is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of Regulations and Rules of Practice.)

To avoid conflict with other variety names in use, the applicant should check the variety names proposed by contacting: Seed Branch, AMS, USDA, Room 213, Building 306, Beltsville Agricultural Research Center—East, Beltsville, MD 20705. Telephone: (301) 504-8089.

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Officer, OIRM, AG Box 7630, Washington, DC 20250; and to the Office of Management and Budget, Paperwork Reduction Project (OMB No. 0581-0055), Washington, DC 20503.



EXHIBIT A. ORIGIN AND BREEDING HISTORY OF THE VARIETY

VARIETY: ADAL

Genealogy/Details of stages of selection and multiplication:

The development of Adal started with a selected F3-plant (male parent) from a cross between Fortessa (female parent; Van de Berg, The Netherlands) and Avoncrisp (male parent; HRI, Wellesbourne, UK) in 1981. This plant was used as male parent in a cross with Saladin (syn. Salinas, USDA, USA) in 1984. The resulting F1 was crossed with Vanguard-75 (USDA, USA) as female parent in 1985. A combined line and pedigree selection resulted in 1994 in a uniform F10-line based on one F9-plant. All crossing and breeding was performed in the Netherlands.

Selection was based on:

- 1. Field evaluation:
 - Homogeneity
 - Plant size
 - Head size
 - Head firmness
 - Head weight
 - Tipburn resistance
 - Bolting resistance
- 2. Laboratory tests on downy mildew and root aphid resistance, and LMV and CMV tolerance

Statement of uniformity and stability

Adal was stable and uniform in variety tests and in seed multiplications carried out since 1995. Official tests of NAKTuinbouw (EC Variety List) and Plant Research International (Community Plant Variety Right) confirmed the uniformity and stability of Adal. In seed multiplications we are finding about 0.4% of off-types,. These off-types are big 'wild' plants that do not make a head.

JEW 5/27/05

JRN1 127/05 The number of generations over which uniformity and stability has been observed is: Uniformity and stability have been shown since 1995.

Exhibit B »

Adal is most similar to salmas &

root aphid resistance - Adal contains the Ra-gene, which is closely linked to the Dm6-gene, and providing complete resistance to the lettuce root aphid Pemphigus bursarius. This monogenic root aphid resistance was first described by Dunn (Report of the National Vegetable Research Station for 1967, pp.73-74. 1968). Further details about this monogenic resistance gene are presented by Ellis et al. (Ann.appl.Biol. 124, 141-151. 1994). This gene is absent in comparison varieties Salinas 88, Fiorette, Vetonas, Fortunas, and Toronto.

Trial 1

location: Hendrik-Ido-Ambacht, the Netherlands

sowing: 17-03-1998 planting: 27-04-1998 harvest: 22-06-1998

variety: Fortunas(n=10) Salinas 88(n=10) Vetonas(n=10)

Adal(n=10)

days to bolting: 152.7(sd=1.2) 159.1(sd=1.0) 159.6(sd=0.8)

163.0(sd=1.3)

variety: Fiorette (n=10) Adal(n=10) color (RHS-color chart) 146C 146A

Trial 2

location: Roelofarendsveen, the Netherlands

sowing: 19-03-1999 planting: 20-04-1999 harvest: 16-06-1999

variety: Fortunas(n=10) Salinas 88(n=10) Vetonas(n=10)

Adal(n=10)

days to bolting: 141.3(sd=1.5) 147.1(sd=1.0) 146.4(sd=1.0)

151.1(sd=1.8)

variety: Fiorette (n=10) Adal(n=10) color (RHS-color chart) 146C 146A

F-tests based on analysis of variance across both locations show that Adal is significantly different from Fortunas for days to bolting (F=634; p<0.001). F-tests based on analysis of variance across both locations show that Adal is significantly different from Salinas 88 for days to bolting (F=819; p<0.001). F-tests based on analysis of variance across both locations show that Adal is significantly different from Vetonas for days to bolting (F=950; p<0.001).



EXHIBIT B. STATEMENT OF DISTINCTNESS

VARIETY: ADAL

Identify the varieties and state all differences objectively:

Adal is a slow bolting crisp lettuce with root aphid resistance. Adal is resistant to the official Bremia races NL1, NL2, NL4, NL5, NL6, NL13, NL14, NL15, Bl-17 and Bl-19.

${\it Difference from other lettuce varieties from the \ database:}$

Denomination of parent variety	Characteristic in which the similar variety is different	State of expression of similar variety	State of expression of candidate variety
Salinas 88, Fiorette, Vetonas, Fortunas, Toronto	root aphid resistance (Pemphigus bursarius)	susceptible	resistant
Salinas 88 Vetonas, Fortunas	downy mildew resistance (Bremia lactucae)	resistant to NL1, NL2, NL5, NL6,NL7, NL14, BI-19	resistant to NL1, NL2, NL4, NL5, NL6, NL13, NL14, NL15, Bl-17, Bl-19
Fiorette, Toronto	downy mildew resistance (Bremia lactucae)	resistant to NL1, NL2, NL3, NL4,NL5, NL6, NL7, NL10, NL11, NL12 NL13, NL14, NL15, NL16, BI-19, BI-21	resistant to NL1, NL2, NL4, NL5, NL6, NL13, NL14, NL15, Bl-17, Bl-19
Vetonas, Fortunas	lettuce aphid resistance (Nasonovia ribisnigri)	resistant	susceptible
Salinas 88, Vetonas, Fortunas	bolting resistance	faster bolting	slower bolting
Fiorette	leaf dentation	2 shallowly dentate	4 crenate
Fiorette	leaf colour intensity	6 medium to dark	7 dark
Fiorette	LMV-resistance	resistant	susceptible

U.S. Department of Agriculture Agricultural Marketing Service Livestock and Seed Division OBJECTIVE DESCRIPTION OF VARIETY

LETTUCE Lactuca sativa


				LLIIOCL Lactuca	<u>sativa</u>			
		APPLICANT(S)	al P V		AMOUNT TO A SHARE THE SHAR	FFICIAL USE ONLY		
_					NUMBER 20	<u>0 0 0 0 2 1</u>	L,	
		(Street and No. or R.F.D. No., C ster Crezeelaan 40	City, State, and ZIP-Code)	VARIE ADAL	TY NAME			
2	678 KX	DE LIER			IMENTAL DESIGNATION			
TI	he Nether	rlands						
			e characters which best d orticultural Society or any				riate number (at least	
TI	he locatio	n of the test area is:	orthodicar Goolety or arry	Color S	System Used:	mino piene colorei	,	
	he Nether PLANT		sted check varieties page	RHS 4.)	BERNANDER BERNANDER WAS TO THE TANK THE PROPERTY OF THE WAS TO THE			
_	•	01 = Cutting/Leaf 02 = Butterhead	05 = Great Lakes Ground	oup 09=Stem				
	0 6	03 = Bibb	07 = Imperial Group	11 = OTHER:				
2.	SEED:	COLOR	08 = Eastern (Ithaca) LIGHT DORM		EAT DORMANCY	www.essa.essa.essa.essa.essa.essa.essa.e	والمارية المارة والمارة والمارة والمارة والمارة والمراجعة والمراجعة والمراجعة والمراجعة والمراجعة والمراجعة	
		1 = White(Silver Gray)) 1 = Light Requ	uired 1	= Susceptible			
	2	2 = Black (Gray Brown 3 = Brown(Amber)	2 = Light not r	equired 2	!=Not susceptible			
'			'	<u> </u>		·		
3.	COTYLE	DON TO FOURTH LEAF	STAGE: NOTE: Provide a		otocopy of the fourth lea	f from 20 day old see	dling	
ı			grown un	der optimal conditions				
	3	SHAPE OF COTYLED	OONS: $1 = Broad$ $2 = In$	termediate 3 = Spati	ulate			
1	 -					\$ 40.50.00.00		
	3	SHAPE OF FOURTH	LEAF:	A :				
•				/\				
			$\langle / \rangle \langle \rangle$	111 513				
				(1) 3/5				
		1 2	3 4	5 6				
	1 6							
ᆫ		LENGTH/WIDTH INDI	EX OF FOURTH LEAF: L/W	V x 10		<u></u>		
	3	ADICAL MARCINI	1 = Entire	4 - Madarataly Danas	7 = Lobed			
r F		APICAL MARGIN:	1 = Enure 2 = Creanate/Gnawed	4 = Moderately Dense 5 = Coarsely Dentate	8 = OTHER (specify)			
	4	BASAL MARGIN:	3 = Finely Dentate	6=Incised				
r	_	A INDIA A TION	4 51	0 0" 1		4 14-11-1		
L	2	UNDULATION:	1 = Flat	2 = Slight	3 = Medium	4 = Marked		
_								
	4	GREEN COLOR:	1 = Yellow Green	3 = Medium Green	5 = Blue Green	7 = Gray Green		
			2=Light Green	4=Dark Green	6=Silver Green			
		ANTHOCYANIN:					_	
Γ	1							
	I	DISTRIBUTION:	1 = Absent 2 = Margin Only	3 ≈ Spotted 4 = Throughout	5 = OTHER (specify)			
Γ		CONCENTRATION:			2 Internal			
L		CONCENTRATION:	1 = Light	2 = Moderate	3 = Intense			
Г	2	ROLLING:	1 = Absent	2 = Present				
L	2							
Γ	2 :	CUPPING:	1 = Uncupped	2 = Slight	3 = Markedly			
L								
ſ	3	REFLEXING:	1 ≕ None	2 = Apical margin	3 = Lateral Margin	•		
L							•	

	2	-AVES (observe harvest-mature outer lea ide color photo of harvest-matur MARGIN: INCISION DEPTH; 1 =				lor and margin characterist) 2=Moderate (Vanguard)		0 0 0 2 1 4 3 = Deep (Great Lakes 65				
		(deepest penetration of the margin)										
	4	INDENTATION: 1 = (finest divisions of the margin) 2 =	Entire (Dark Green Bo Shallowly Dentate (G		es 65)	3 = Deeply Dentate (Grea 4 = Crenate (Vanguard)	t Lakes 659)	5 = OTHER (specify)				
	2	UNDULATION OF THE 1 = , APICAL MARGIN:	Absent/Slight (Dark G	2 = Moderate (Vanguard)	3 = Strong (Great Lakes 6							
	3		Very Light Green (Bibl Light Green (Minetto)	b)		3 = Medium Green (Great 4 = Dark Green (Vanguard		5 = Very Dark Green 6 = OTHER				
	1	4	elow 10°C): Absent Margin Only (Big Bost	on)		3 = Spotted (Calif. Cream 4 = Throughout (Prize He		5 = OTHER (specify)				
	<u> </u>	CONCENTRATION: 1 = L	ight (Iceberg)			2 = Moderate (Prize Head)	3 = Intense (Ruby)				
	3	SIZE: 1 = S	mali			2 = Medium	3 = Large					
	1	GLOSSINESS: 1 = D	ull (Vanguard)			2 = Moderate (Salinas)		3 = Glossy (Great Lakes)				
	2	BLISTERING: 1 = A	bsent/Slight (Salinas)			2 = Moderate (Vanguard)		3 = Strong (Prize Head)				
	3	LEAF THICKNESS: 1 = Th	nin			2 = Intermediate		3=Thick				
	1	TRICHOMES: 1 = At	osent (smooth)			2 = Present (spiny)						
PLA	NT (at ma	ket stage. Choose a comparison variety ap	propriate for this type):			· · · · · · · · · · · · · · · · · · ·						
3	7	SPREAD OF FRAME LEAVES cm. This Variety	:	3	8	cm. <u>Salinas</u>	(spe	ecify comparison variety)				
1	4	HEAD DIAMETER (market trimmed cm. This variety	d with single cap leaf):	1	5	cm. Salinas	(spe	cify comparison variety)				
	2		attened ahtly Flattened		J	3 = Spherical 5 = Elongate		5 = Non-heading 6 = OTHER				
	2	HEAD SIZE CLASS: 1 = Sr				2 = Medium		3 = Large				
		HEAD COUNT PER CARTON										
	7	5 9 HEAD WEIGHT g This Variety	8	6	5	g. Salinas (specify co	omparison variety	<i>i</i>				
	4	HEAD FIRMNESS 1 = Loc 2 = Mod		•		= Firm = Very Firm		·				
BUT		of market-trimmed head):										
	3	SHAPE: 1 = Slig	ghtly Concave		2	= Flat		3 = Rounded				
	3	MIDRIB: 1 = Flat	ttened (Salinas)		2	= Moderately Raised		3 = Prominently Raised (Great Lakes 659)				
		market-trimmed head): mm Diameter at base of Hea	:d									
	E (stem of	·										
,	7	mm Diameter at base of Head Ratio of head diameter Core height from base of head	ter/core diameter	9	mm	Salinae						
3	5	mm Diameter at base of Hea Ratio of head diamet Core height from base of hea mm. This Variety	d to apex: 3				'y comparison val	riety)				
}	5	mm Diameter at base of Head Ratio of head diameter Core height from base of head	d to apex: 3 9): Note: First Water Dat to germinate. This c	e is the da an and ofte	te seed fi	rst receives adequate moisture qual the planting date.	'y comparison van 1 4	iety) pecify comparison varie Salinas				
BOLT	7 5 2 ING (Given the control of the	mm Diameter at base of Head 2	d to apex: 3 9): Note: First Water Date to germinate. This of	e is the da an and ofte	te seed fi en does e c emerç	rst receives adequate moisture qual the planting date.		specify comparison varie				

3	0			of Bo	olter Pla riety	ant	(at wid	lest poin	t):		3	0	cm	ı. <u>Sali</u>	nas		(specify	Q _{omp} aris	$\Omega_{van}\Omega_{va}$,0 2	2 1	4	
	2	Во	LTEI	R LEA	VES:			1 = S	traigh	nt				2	= Curved	i							
	2	_	MA	RGIN	:			1 = E	intire			·		2	= Dentat	e	<u>:</u>						
	2		co	LOR:				1 = L	ight (3re	∋n			2	= Mediur	m Gre	en		3 =	Dark	Green		
	2	┑ .	TERI	HABI MINAL ORES		:		1 = ,	Abser	nt.				2	= Present	t							
l [2	<u> </u> ¬		RAL S	НООТ		_	1 = /							= Presen								
[1		ASA	L SID	E SHO	отя	-	1 = A	bsent	:		· .		2	= Present	t							
9. MATU		/ (earlines							eason														
SEAS		Applic						1/# of							•	CHEC	K VARI	ETY 2/					
Spring	,																						
Summ			8	9				9	6		Salir	nas									,		
Fail																							
Winte	r																						
Give plan	nting (date(s),	and	locat	ion(s):																		
Spring Summer	_	3/19/1	999	Roel	ofaron	deve	an t	ha Na	therla	nde						 ,							
Fall			-	, 11001	0101011			.10 140	trioria	iriac										<u>. </u>			
Winter							.,								· · · · · · · · · · · · · · · · · · ·			<u></u>					
1/ First w	ater	date to	harv	est.		2	2/ Fill	in che	ck va	riet	y nar	ne on ti	he app	oropriate	line.								
10. ADA	PTAT		RY I	REGIO	NS OF	AD	APTA	ATION	(teste	d an	d prove	n adapted	1):	. (() = Not to	ested	1	= Not	: Adapt	ed	2 =	Adapt	ted)
	0	Sout	hwe	st (Ca	alif., Ar	iz. (desert	t) [0		Wes	t Coast	:	0	North	east							
	0	Nort	hcer	itral					0		Sout	heast			OTHE	R				-		<u>.</u>	
		SEAS	ON:		g (area	N	IW Eu	ırope)		2	Fall (a	rea	NW Eu	rope		_)		
		2		Sumr	ner (are	ea_	NW	Europ	e			}		1	Winte	er (ar <u>e</u>	a Spa	in		.	}		
ſ	1	GREI	ENHO	DUSE:		(1 = C	Not te:	sted				-	1111	1 = Not	t Adap	oted			2 =	Adap	ted	
	3	SOIL	TYF	E:		1	1 = N	/linera	[3	W.J.	. 1	~ Wivi	2 = Org	anic				3 =	Both		

FORM LS-470-1 (9-86) Page 3 of 4

		VIRUS		FUNGAL	/BACTERIAL 0 0 0 0 0 2 1 2					
	0	Big Vein	1	Corky Root Rot (Pythium						
	1	Lettuce Mosaic	3	Downy Mildew (Races see Exhibit B)						
	5	Cucumber Mosaic	0	Powdery Mildew						
	0	Broad Bean Wilt	0	Sclerotinia Rot						
	0	Turnip Mosaic	0	Bacterial Soft Rot (Pseud	iomonas spp.&others)					
	0	Beet Western Yellows	0	Botrytis (Gray Mold)						
	0	Lett. Infectious Yellows		OTHER	<u> </u>					
	5	Other Virus <u>Endive Necrotic Mosaic Vi</u> rus	(ENMV)							
		I <u>NSECTS</u>		<u>PHYSIOI</u>	LOGICAL/STRESS					
	0	Cabbage Loopers	0	Tip Burn 0	Sait					
	3	Root Aphids	3	Heat 3	Brown Rib (Rib Discoloration, Rib Bligh					
	0	Green Peach Aphid	0	Drought	OTHER					
		Other Insect	0	Cold						
		POST HARVEST								
	0	7	0	leasured Direction (DI	and the sect Occur Bib. Occur Streets					
	0	Pink Rib Russet Spotting	0	Brown Stain	ackheart, Gray Rib, Gray Streak)					
	0	Rusty Brown Discoloration		Siotili Clain	•					
		J								
2. BIOC	HEMICAL OR	ELECTROPHORETIC MARKERS:								
3. COMI	MENTS:									
		SUGGE	STED CHE	CK VARIETIES						
					OUEOK WADIETW					
		TYPE		<u> </u>	CHECK VARIETY					
		1) CUTTING/LEAF		Ę	CHECK VARIETY SALAD BOWL DARK GREEN ROSTON					
		1) CUTTING/LEAF 2) BUTTERHEAD 3) BIBB		Ç [E	SALAD BOWL DARK GREEN BOSTON BIBB					
		1) CUTTING/LEAF 2) BUTTERHEAD 3) BIBB 4) COS, OR ROMAINE		S I E F	SALAD BOWL DARK GREEN BOSTON BIBB PARRIS ISLAND					
		1) CUTTING/LEAF 2) BUTTERHEAD 3) BIBB 4) COS, OR ROMAINE 5) GREAT LAKES GROUP 6) VANGUARD GROUP		S I E F C	SALAD BOWL DARK GREEN BOSTON BIBB PARRIS ISLAND GREAT LAKES 659-700 VANGUARD					
		1) CUTTING/LEAF 2) BUTTERHEAD 3) BIBB 4) COS, OR ROMAINE 5) GREAT LAKES GROUP 6) VANGUARD GROUP 7) IMPERIAL GROUP		S I E F C	SALAD BOWL DARK GREEN BOSTON BIBB PARRIS ISLAND GREAT LAKES 659-700 /ANGUARD /IVA					
	·	1) CUTTING/LEAF 2) BUTTERHEAD 3) BIBB 4) COS, OR ROMAINE 5) GREAT LAKES GROUP 6) VANGUARD GROUP		\$ [E F (\ \ !	SALAD BOWL DARK GREEN BOSTON BIBB PARRIS ISLAND GREAT LAKES 659-700 VANGUARD					



ADAL WHALEAS



-ADAL' Mature leaf

Exhibit C

First it should be mentioned that in the original exhibit C the mean data for trial 2 were given.

For light and heat dormancy the remark from my email of December 8, 2004 applies (mail on lettuce appl. 200000018 Fortunas; see below). In addition I would like to ask whether these traits are only relevant to know how to treat the seed samples, or that these dormancy traits are also used to compare PVP-applications.

Anthocyanin concentrations are zero for young and mature leaves, because anthocyanin is absent.

Bl:19 was one of the new European Bremia-strains (Van Ettekoven & Van der Arend, 1999 in: A.Lebeda & E.Kristkova (Eds.) Eucarpia Leafy Vegetables '99. Palacky University, Olomouc, Czech Republic 1999: 171-175). However, it is not available anymore for further testing (Van der Arend et al., 2003 in: Van Hintum et al. (Eds.) Eucarpia Leafy Vegetables 2003. CGN, Wageningen, the Netherlands 2003: 151) and therefore we would like to ask you to disregard the claim for Bl:19-resistance.

remark on dormancy from e-mail December 8, 2004: 'according to our experience, it is very difficult to draw a line between non-dormant and dormant lettuce varieties. Both heat and light dormancy change over time when seed is ageing, and the genetic basis for these traits is polygenic. This means that dormancy is generally measured on a continuous scale.

So my question is where to draw the line: how are light dormancy and heat dormancy defined: which percentage of seeds of which age has to germinate under dark conditions, to state the variety is non-light-dormant? which

percentage of seeds of which age has to germinate at which temperature to state that they are non-heat-dormant?

EXHIBIT D. ADDITIONAL DESCRIPTION OF THE VARIETY

VARIETY: ADAL

Adal is a crisp lettuce with root aphid resistance. It makes very well shaped heads and is very resistant against internal tipburn and rib blight. Adal is slow bolting. Adal is resistant to the official Bremia races NL1, NL2, NL4, NL5, NL6, NL13, NL14, NL15, Bl-17 and Bl-19 (Europe) and susceptible to the Californian pathotypes Ca I-Ca V. Adal is tolerant against CMV.

Adal can be used in plantings from Spring until Fall. Adal is tolerant for hot conditions

suggestions for reducing this burden, to Department of Agriculture, Clearance Officer, OIRM, AG Box 7630, Jamie L. Whitten Building, Washington, D.C. 20250. When replying, refer to OMB No. 0581-0055 and form number in your letter.

Under the PRA of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA Office of Communications at (202) 720-2791.

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call (202) 720-7327 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer,